


Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



619-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley – extra deep
- 7 flat and 1 high drawer
- Complete with lateral door and socket strip and 619-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



880G • •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19



880G-E • •
E8 • E10 • E12 • E14



880LG • •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
20 • 21 • 22



880TZ • •
9 • 10 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 20 •
21 • 22



880Z • •
9 • 10 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 20 •
21 • 22



8815 •



8816HPS •



8820 • •

8821 • •
8821-6 • 8821-20



8822-1 • •




8822-3 • •



8822-10 • •



8830 • •



163D-3/94



8501 • •
3 • 4 • 5 • 6 • 8



8502 • •
T15 • T20 • T25 • T27 •
T30 • T40



8503 • •
0.6 x 3.5 • 1 x 5.5 • 1.2 x 8



8506 • •
PH1 • PH2



8507 • •
PZ1 • PZ2



986 • •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 14 • 17 • 19 • 22



986KK • •
5 • 6 • 7 • 8 • 10 • 12



986L • •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14



986SL • •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14



990 • •
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18



990LG • •
M8 • M14



990SLG • •
M10 • M12



991 • •
M6 • M7 • M8 • M9 • M10 •
M12 • M14



992 • •
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60



992H • •
T30H • T40H • T45H •
T50H • T55H



992SLG • •
T30 • T40 • T45 • T50 • T55



163D-4/44



858-1 • •

8858-1 • •

8858-2 • •



900LG • •
10 • 12 • 13 • 14 • 15 • 16 •
17 • 18 • 19 • 21 • 22 • 24 •
27 • 30 • 32



900TZ • •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 30



958-1 • •


958-2 • •



985 • •
5 • 6 • 8 • 10 • 12 • 14 • 17 •
19



1058-2 • •



163D-5/24



428 • • 10 • 13



828 • • 2.5 • 3 • 4 • 5 • 6 • 7 •
8 • 10



828-T • •
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40 • T45



163D-6/53

• • • •



811K • • 1 x 5.5 • 1.2 x 8



811KPH • •



811EL/7
 •



805C •



811EL-T/7 •

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



811 • •
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5



811PH • •
PH2



811PZ • •
PZ1 • PZ2



811T • •
T10 • T15 • T20 • T25 •
T27 • T30




839 • •
0.5 x 2.8



2105LG/9H • •



2116LG/8H • •



163D-7/24
 • • •



802 • •
0.6 x 3.5 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5 • 1.2 x 8 •
1.6 x 10 • 2 x 12



802-PH • •
PH0 • PH1 • PH2 • PH3



802-TH • •
T8H • T9H • T10H • T15H •
T20H • T25H • T30H



811S • •
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7



811SPH • •
PH1 • PH2 • PH3



163D-8/13



760-2



1802-33



1841A-33



1841B-33



1846A
1846A-2 • 1846A-3



1846B
1846B-2 • 1846B-3



1846C
1846C-2 • 1846C-3



1846D
1846D-2 • 1846D-3



1850-33



163D-9/42



600N • •
5.5 • 6 • 7 • 8 • 9 • 10 • 11 •
12 • 13 • 14 • 15 • 16 • 17 •
18 • 19 • 21 • 22 • 24 • 27 •
32



606 • •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27 • 30 • 32



606/4SPC



163D-10/30



450N • •
5 x 5.5 • 6 x 7 • 8 x 9 •
10 x 11 • 12 x 13 • 14 x 15 •
16 x 18 • 17 x 19 • 20 x 22 •
21 x 23 • 24 x 27 • 30 x 32 •
34 x 36



630 • •
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
17 x 19 • 18 x 19 • 20 x 22 •
21 x 22 • 21 x 23 • 24 x 26 •
24 x 27 • 25 x 28 • 27 x 32 •
30 x 32 • 36 x 41



163D-11/11

755-10A



757-10



1980N



1981



2119-8



2120-8



2122-8



2123-8



2157-07



2157-1



4968-2



163D-12/30




730
730-3 • 730-7



740-3



746-2



748B
748B-2 • 748B-3 • 748B-4 •
748B-5 • 748B-6 • 748B-8



751HS/5



824 • •
0.5 x 23



1953N-40



1976-2



1977-2/4



2140-50


Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896**245185**



2142-2



2147MS



2152N/3



2154-10



2154N-5