

Product information

77 11 115

Electronics Diagonal Cutter

With box joint

DIN ISO 9654

MM >> |

Standard

REACH compliant

RoHS compliant



- Durable, load-optimised design with backlash-free box joint
- High, slim sleeves for fine and comfortable gripping between thumb and index finger
- Less physical effort due to very high transmission ratio
- Round head, with small bevel and lead catcher no uncontrolled loss of cut wire ends
- Load-optimised for a more direct feel when working
- Low-friction double spring for gentle and even opening
- The mirror polish in combination with a fine oil film provides rust protection - no circuit faults caused by peeling chrome from plated tools
- Cutters additionally laser hardened, cutter hardness at least 62 HRC

77 11 115
4003773018629
mirror polished
with non-slip plastic coating
55 g
115 x 68 x 11 mm

does not contain SVHC


DIN ISO 9654

not applicable

Technical details	
Cutting capacities medium hard wire (diameter)	Ø 1.2 mm
Schneidwerte harter Draht (Durchmesser)	Ø 0.6 mm
Cutting capacities soft wire (diameter)	Ø 0.3 – 1.6 mm
Jaw length (B)	14 mm
Jaw thickness (joint) (D)	7.5 mm
Head width (A)	11 mm



Technical details



technical change and errors excepted









