

Product information

77 12 115 ESD

Electronics Diagonal Cutters ESD

With box joint

DIN ISO 9654 DIN EN 61 340-5



- Durable, load-optimised design with backlash-free box joint
- High, slim sleeves for fine and comfortable gripping between thumb and index finger
- Less physical effort due to very high transmission ratio
- Round head, with small bevel and lead catcher - no uncontrolled loss of cut wire ends
- Load-optimised for a more direct feel when working
- Low-friction double spring for gentle and even opening
- The mirror polish in combination with a fine oil film provides rust protection - no circuit faults caused by peeling chrome from plated tools
- Cutters additionally laser hardened, cutter hardness at least 62 HRC


General

Article No.	77 12 115 ESD
EAN	4003773025108
Head	mirror polished
Handles	with multi-component grips
Weight	70 g
Dimensions	115 x 67 x 16 mm
Standard	DIN ISO 9654 DIN EN 61 340-5
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details

Cutting capacities medium hard wire (diameter)	Ø 1.2 mm
Schneidwerte harter Draht (Durchmesser)	Ø 0.6 mm
Cutting capacities soft wire (diameter)	Ø 0.3 – 1.6 mm
Jaw length (B)	14 mm
Jaw thickness (joint) (D)	7.5 mm
Head width (A)	11 mm
ESD	yes

Technical details



technical change and errors excepted

