

Product information

88 02 250 SB

KNIPEX Alligator®

Water Pump Pliers

DIN ISO 8976

- With slim multi-component grips without collar for better handling and easier transport
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Pinch guard prevents operators' fingers being pinched



| General | |
|---------------------------------------|---------------------------------|
| Article No. | 88 02 250 SB |
| EAN | 4003773030256 |
| Pliers | black atramentized |
| Head | polished |
| Handles | with slim multi-component grips |
| Weight | 379 g |
| Dimensions | 250 x 84 x 20 mm |
| Standard | DIN ISO 8976 |
| REACH compliant | does not contain SVHC |
| RoHS compliant | not applicable |
| Technical details | |
| Adjustment positions | 9 |
| Capacity for pipes, inches (diameter) | Ø 2 Inch |
| Capacities for nuts | 46 mm |
| Capacities for pipes (diameter) | Ø 50 mm |

technical change and errors excepted





Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort

