

## **Product information**

## 88 02 300 T BK

## **KNIPEX Alligator®**

Water Pump Pliers

**DIN ISO 8976** 



- system Self-locking on pipes and nuts: no slipping on the workpiece and low
- handforce required

Pliers with tether attachment point for mounting a fall protection

- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor
- Pinch guard prevents operators' fingers being pinched


П	ПΙ	Ш	
		ч.	L

General	
Article No.	88 02 300 T BK
EAN	4003773080619
Pliers	black atramentized
Head	polished
Handles	with multi-component grips, with integrated tether attachment point for a tool tether
Weight	630 g
Dimensions	300 x 92 x 25 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

Technical details	
Adjustment positions	9
Capacity for pipes, inches (diameter)	Ø 2 3/4 Inch
Capacities for nuts	60 mm
Capacities for pipes (diameter)	Ø 70 mm
Drop Protection System	yes

technical change and errors excepted









Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort









