

## Product information

# 92 95 90

## Universal cross jaw tweezers



- Hold automatically: Their spring force makes these holding tweezers perfect for soldering small and very small components, among other uses
- For applications that require a high-precision self-closing function, for example in microscopy or for precision assembly or soldering tasks
- For soldering work on transistors, wire diodes, etc.
- Suitable for a wide variety of applications in the electronics industry thanks to perfectly symmetrical tips and excellent balance
- The high quality stainless steel ensures extreme toughness and very good corrosion resistance against a variety of atmospheric environments and many corrosive materials

### General

|                   |                           |
|-------------------|---------------------------|
| Article No.       | 92 95 90                  |
| EAN               | 4003773055020             |
| Material          | stainless steel           |
| Gripping surfaces | knurled gripping surfaces |
| Handles           | serrated                  |
| Weight            | 32 g                      |
| Dimensions        | 162 x 11 x 20 mm          |
| REACH compliant   | does not contain SVHC     |
| RoHS compliant    | not applicable            |

### Technical details

|                      |  |
|----------------------|--|
| Surface              | matt finish                                |
| Finish               | angled 40°                                 |
| Tips width (A)       | 0.8 mm                                     |
| Tips width (B)       | 1 mm                                       |
| Tweezers tip version | blunt                                      |
| Corrosion-resistant  | yes  |
| Acid resistance      | very good                                  |
| ESD-tested           | no   |
| VDE tested           | no   |
| Sectors              | Industry electronics Watch makers Jeweller |
| Magnetic             | non-magnetisable (80%)                     |
| Behaviour            | Conductive                                 |

technical change and errors excepted