

## **Product information**

## 97 53 14

# Self-Adjusting Crimping Pliers for wire • ferrules

With lateral access



- With hexagonal compression
- Also for Twin wire ferrules up to 2 x 10 mm<sup>2</sup> or 2 x AWG 8
- For wire ferrules up to 16 mm<sup>2</sup>
- Adjusts automatically to the wire ferrule size for precise and quick crimping
- Crimping of wire ferrules according to DIN 46228 parts 1+4
- UL approval in conjunction with KNIPEX wire ferrules 97 99 330 399
  Repetitive, high crimping quality due to ratchet mechanism
- (unlockable)Tools have been set precisely (calibrated) in the factory
- Optimum transmission of force thanks to toggle lever for fatiguereduced operation
- Narrow handle width
- Ergonomic and comfortable handle, smooth operation and lightweight
- Special quality chrome vanadium electric steel, oil-hardened

#### You Tube

### General

MM 🗖 🥔 🥔 🔊

Article No.	97 53 14
EAN	4003773041474
Pliers	burnished
Handles	with multi-component grips
Weight	445 g
Dimensions	180 x 75 x 21 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

technical change and errors excepted



The crimping pliers can be adjusted to large wire ferrules of 16 mm<sup>2</sup> or 2 x 10 mm<sup>2</sup> with the adjusting wheel.



Also suitable for twin wire ferrules: capacity up to 2 x 10 mm<sup>2</sup>





Suitable for fine conductors: crimps fine conductors from 0.08  $\mbox{mm}^2$ 



97 53 14: Hexagonal crimp with automatic size adjustment





Enormous capacity: crimps single wire ferrules up to 16  $\rm mm^2$  or twin wire ferrules up to 2 x 10  $\rm mm^2$ 



























