

## **Product information**

## 97 53 19

## **KNIPEX Twistor® T**

Self-Adjusting Crimping Pliers for wire ferrules With rotatable die head



- Crimp head can be rotated 360°, with 8 locking positions
- Wire ferrules can be crimped from almost any working position
- Trapezial crimp profile, high capacity range from 0.14 to 10 mm²
- Crimping pliers adjust automatically to different cross-sections
- Crimp opening accessible from both sides, a length of up to 18 mm can be crimped in one operation, extra-long wire ferrules can be fed in
- Crimping of Twin wire ferrules up to 2 x 6 mm² possible
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Light and handy tool, manual force reinforced by toggle lever mechanism

WW <b>T</b>	
-------------	--

General	
Article No.	97 53 19
EAN	4003773088097
Pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component grips
Weight	486 g
Dimensions	200 x 80 x 26 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

## **Technical details**



Application	Wire ferrules
Capacity in square millimetres	0.14 — 10 mm²
AWG	26 — 8
Number of crimp profiles	1

technical change and errors excepted



































